


ORANGE 1040HF

Rev. 3.1

PRODUCT DATA



Manufacturer : ECORAY Co., Ltd.
Address : #714~716 ForHu B/D, 58,
Wangsimni-ro, Seongdong-gu,
Seoul, KOREA (04778)
Tel : +82 70 7510 3400
Fax : +82 70 8630 3420



EC authorized representative : OBELIS S.A.
Address : Bd. Général Wahis, 53, B-1030
Brussels, BELGIUM
Tel : +32 27 325 954
Fax : +32 27 326 003

SPECIFICATION

	Model	ORANGE 1040HF
Output	Max. output	100kV/40mA
	Voltage range	40~100kV
	mA Range	16~40mA
	mAs Range	0.32mAs~100mAs
	Max. Output	2.4kW at 80kV
Tube	Model	Toshiba D-125
	Focal Spot	1.2 x 1.2mm
Collimator	Lamp	Halogen (50W/12V)
	X-ray field Size	Max. 35 x 35cm @ 66cm SID
	Laser Pointer	built-in dual laser
Input Power	Input	100~120V or 220~240VAC
	Frequency/Phase	50/60Hz, Single phase
Features	PROM Memory	24 APR 8 Memory (Basic) / 16 Memory (Addition)
	Weight	12kgs
	Dimensions	355 x 191 x 180 mm
	Etc.	7-segment LED read out reversible Overload protection for high frequency generator and X-ray tube

**** Specification IS subject to change without prior notice.**

OUTLINE DRAWINGS

ORANGE 1040HF

